



# QUREACC TAC 50

## Triallyl Cyanurate 50%

CAS No. : 101-37-1  
Molecular Formula :  $C_{12}H_{15}N_3O_3$   
Molecular Weight : 249.27

### SALES SPECIFICATIONS:

PARAMETER	UNIT	REQUIREMENT
Appearance	NA	White Powder
Active content	%	$50 \pm 3$

### APPLICATION

QUREACC TAC 50% is generally supplied in powder form for ease of handling in various applications:

- ❖ As a co-agent in peroxide crosslinking of EPDM, CPE, EVA rubbers to produce moulded and extruded goods cables etc.
- ❖ As a cross linking agent in electron beam curing of polyolefin plastics.
- ❖ Halogenated TAC is used as a flame retardant agent for plastics & rubbers.

### PACKING AND STORAGE

Available in 10 /25 Kg.

To be stored in a clean, cool & dry place.

Although every care has been taken in the completion of the above information & recommendation they are offered in good faith without guarantee.

### YASHO INDUSTRIES PVT. LTD.

#### HEAD OFFICE

Office No. 101 & 102,  
Peninsula Heights,  
C.D.Barfiwala Marg,  
Juhu Lane,  
Andheri (West),  
Mumbai – 400058, India  
TEL : 022 – 62510100  
FAX : 022 – 62510199  
E-Mail.: [info@yashoindustries.com](mailto:info@yashoindustries.com)  
Website : [www.yashoindustries.com](http://www.yashoindustries.com)

#### FACTORY – UNIT II

Plot No. 1713  
Phase III, G.I.D.C  
Vapi - 396 195,  
Gujarat, India  
TEL. :- 0260 – 2420896 / 2423896

Rev.02 DT.05.05.2017