



QUREACC TAC 70

Triallyl Cyanurate 70%

CAS No. : 101-37-1
Molecular Formula : $C_{12}H_{15}N_3O_3$
Molecular Weight : 249.27

SALES SPECIFICATIONS:

PARAMETER	UNIT	REQUIREMENT
Appearance	NA	White Powder
Active content	%	70 ± 3

APPLICATION

QUREACC TAC 70% is generally supplied in powder form for ease of handling in various applications:

- ❖ As a co-agent in peroxide crosslinking of EPDM, CPE, EVA rubbers to produce moulded and extruded goods cables etc.
- ❖ As a cross linking agent in electron beam curing of polyolefin plastics.
- ❖ Halogenated TAC is used as a flame retardant agent for plastics & rubbers.

PACKING AND STORAGE

Available in 10 /25 Kg.

To be stored in a clean, cool & dry place.

Although every care has been taken in the completion of the above information & recommendation they are offered in good faith without guarantee.

YASHO INDUSTRIES PVT. LTD.

HEAD OFFICE

Office No. 101 & 102,
Peninsula Heights,
C.D.Barfiwala Marg,
Juhu Lane,
Andheri (West),
Mumbai – 400058, India
TEL : 022 – 62510100
FAX : 022 – 62510199
E-Mail.: info@yashoindustries.com
Website : www.yashoindustries.com

FACTORY – UNIT II

Plot No. 1713
Phase III, G.I.D.C
Vapi - 396 195,
Gujarat, India
TEL. :- 0260 – 2420896 / 2423896

Rev.02 DT.05.05.2017