



QUREACC ZIX

Zinc Isopropylxanthate

CAS No. : 1000-90-4
Molecular Formula : $C_8H_{14}O_2S_2Zn$
Molecular Weight : 335.82

SALES SPECIFICATIONS:

PARAMETER	UNIT	REQUIREMENT
Appearance	NA	White to Light Yellow powder
Melting Point	°C	140 Min.
Loss on Drying (105°C)	%	1.0 Max.
Zinc Content	%	18.0 – 21.0

APPLICATION

QUREACC ZIX is used as a secondary accelerator for natural and synthetic rubbers. This accelerator is recommended for very fast cure and have applications in shoe, adhesives and other moulded products. Curing at low temperatures with this accelerator is preferred. Also used as an accelerator in NR & synthetic latex to prevent copper discoloration.

Recommended dosage is from 0.5 – 1.5 phr.

PACKING AND STORAGE

Available in 10/25 Kg. Paper Bag.
To be stored in a clean, cool & dry place.

Although every care has been taken in the completion of the above information & recommendation they are offered in good faith without guarantee.

YASHO INDUSTRIES PVT. LTD.

HEAD OFFICE

Office No. 101 & 102,
Peninsula Heights,
C.D.Barfiwala Marg,
Juhu Lane,
Andheri (West),
Mumbai – 400058, India
TEL : 022 – 62510100
FAX : 022 – 62510199
E-Mail.: info@yashoindustries.com
Website : www.yashoindustries.com

FACTORY – UNIT II

Plot No. 1713
Phase III, G.I.D.C
Vapi - 396 195,
Gujarat, India
TEL. :- 0260 – 2420896 / 2423896

Rev.02 DT.05.05.2017